IASS

IASS FACT SHEET 1/2013

Institute for Advanced Sustainability Studies (IASS)
Potsdam, September 2013

Climate Engineering

Sean Low, Stefan Schäfer, Achim Maas

With greenhouse gas emissions continuing to escalate, recent years have seen a growing discussion on climate engineering (CE) – an array of proposed methods for manipulating the global climate in order to moderate or forestall the effects of climate change. Research has expanded rapidly and while it has become clear that CE cannot serve as a direct substitute for emission reductions, the role of specific CE methods as responses to climate change within a portfolio of measures is being debated.

What is climate engineering?

Climate engineering (CE), also known as geoengineering, describes a diverse and largely hypothetical array of methods for manipulating the global climate in order to moderate or forestall some of the effects of climate change. CE methods aim either to remove carbon from the atmosphere and store it, or to reflect

some of the incoming sunlight back into space. The former techniques are known as Carbon Dioxide Removal (CDR), and focus either on enhancing existing carbon removal processes in natural systems (e.g. soils, forest and oceans), or on filtering carbon out of the atmosphere with technological means. The latter techniques, known as Solar Radiation Management (SRM), focus on increasing the reflectivity of existing



surfaces (clouds, forests, deserts, oceans, urban areas), forming a reflective particle layer in the middle atmosphere, or deploying mirrors in space.

Why is climate engineering being discussed?

CE has until the last decade been absent from serious discussion, largely due to concerns that the introduction of an 'alternative' could reduce incentives and momentum to endure the transition to a low-carbon economy, or that the climate system is too complex to be altered by human activities in a predictable way. However, there are increasing concerns that existing efforts may be insufficient to prevent or withstand damaging climatic changes. The reasons for these concerns include the slow progress being made in climate negotiations and emission reductions, increasing doubt among scientists and policy-makers that warming can be limited to the international target of 2°C, and the worry that the climate system may prove more sensitive to rising atmospheric concentrations of CO2 and other climate forces than expected, possibly leading to so-called 'tipping points'.

Hence, there have been growing discussions about how the development of options such as CE might complement or weaken mitigation efforts, that is, reduce greenhouse gas emissions, facilitate adaptation, and support societal capacities to endure climatic changes. Since CDR targets the reduction of greenhouse gas (GHG) concentrations in the atmosphere, it is often seen as a supplement to conventional mitigation efforts. Meanwhile, SRM is often framed as either an insurance policy against extreme climatic changes, or as a way to buy time for mitigation actions to take effect. The most prominent SRM methods, such as sulphate aerosol particle injections, are global in impact, and are often hypothesized to be technically feasible, swift-acting in their effects on global mean temperature, and cheaper to implement than comprehensive mitigation.

What is the state of climate engineering research?

The last half-decade has seen a proliferation of scientific study, public commentary, and limited governmental and private sector involvement.

An expanding number of research programmes mostly based in the global North - are exploring CE's physical and social effects through computer simulations and assessments of potential risks and uncertainties. Much of the funded research goes beyond technical questions to focus on economics, ethics, governance, perception and other aspects. Academic work has been accompanied by increased attention from the media, public intellectuals, and environmental and technology watchdog groups. The first government-commissioned reports have been released by the UK, USA, and Germany, and scientific researchers have begun to engage academic and policy-making communities worldwide. The Intergovernmental Panel on Climate Change has expanded its discussion of climate engineering in its upcoming 2014 Assessment Report. There has also been some commercial interest, with many patents being registered, and some companies having attempted to sell voluntary carbon credits based on CDR methods.

Field tests of prototype technologies are being discussed or have been done on small scales.

Ocean iron fertilisation experiments from 1990 to 2009 and a limited number of tests of small-scale prototypes for removing carbon from the atmosphere have already helped generate interest in (and criticism of) CDR techniques. Field tests of globally impacting SRM technologies remain highly controversial – although none have taken place at a large scale, some small-scale tests are being planned. Due to concerns that efforts to scope CE might inadvertently generate momentum to develop – and perhaps later, to deploy – the technologies, there is a general climate of caution surrounding any actions that go beyond social science research, modelling and laboratory work.

Many in the academic community have called for a global debate with scientists, policy-makers, and civil society on the state, risks, unknowns, and challenges of current research.

Effective planning may need to take place decades in advance, and decisions that are taken now – on switching to a low-carbon economy, developing particular CE methods, or some mix thereof – may create pathways of development that could be difficult to reorient later on.

There is a broad scientific consensus that no CE method can be considered a solitary substitute for mitigation or adaptation.

Many stress that the transition to a low-carbon economy is key to sustainably addressing climate change. CDR may complement the reduction of carbon emissions, but cannot viably replace it. SRM only masks the warming effect of GHGs, does not address nonwarming effects of climate change such as ocean acidification, and abrupt termination may result in quick temperature rises with possibly dramatic impacts.

Is climate engineering feasible?

The feasibility of CE methods is uncertain, and we may not be able to anticipate or address all risks beforehand.


These range from technical questions on costs, mechanics, geophysical processes and environmental impacts, to wider societal repercussions. Modelling

studies, small-scale field experiments, natural analogues, and political analysis may offer preliminary indications, but only multi-year experiments on regional-to-global scales would be able to shed light on the long-term impacts of various CE methods. However, such experiments would, in principle, be indistinguishable from actual deployment.

There is no comprehensive economic assessment of CE methods.

The possible operational costs have been estimated with different methods. The costs of SRM have been estimated to be of the order of a few tens of billion US dollars per year or less, while CDR costs range from tens to hundreds of billions of US dollars per year. These numbers strongly depend on the particular technology or technique involved, as well as the scale of deployment. Moreover, because there is no quantification of the economic impacts of CE, the notion that CE may be cheaper than mitigation and adaptation is based on an incomplete assessment.

Various climate engineering measures



© Institute for Advanced Sustainability Studies (IASS)

Current scientific knowledge infers that deployment will have unevenly distributed global effects.

For example, increasing the earth's reflectivity on a global scale (SRM) is expected to lead to varying temperature reductions and precipitation changes in different regions. Similarly, particular CDR measures aiming at radically increasing biological processes taking up carbon, such as ocean fertilisation, may impact regional ecosystems. Altered environments may have complex effects upon human and state security, water availability and food production, biodiversity, and energy. The basic possibility of unilateral deployment of global SRM methods, due to its comparatively low development, implementation and operation costs, exacerbates concerns about conflicts.

There are overarching concerns over how climate governance and human society may develop under a CE scenario.

Developing CE technologies may create a 'slippery slope' toward deployment, and siphon momentum away from already slow-moving efforts to reduce emissions. Moreover, should SRM ever be discontinued in the absence of comprehensive GHG reductions, a rapidly rising global mean temperature would create a 'termination shock' to which ecosystems and societies would have severe difficulties adapting. Others criticise what they see as the postponing of transitioning off fossil fuels to later generations, the unequal capacity between states to research and deploy the technologies, or shifting the effects of what would have been GHG-driven climate change to populations that will suffer from an engineered climate. Conceptually, there are questions of how CE alters (or confirms) humanity's relationship to nature, as well as the hubris (or ingenuity) of applying technological solutions to complex issues.

Is climate engineering legal?

There is no international treaty that addresses CE as a whole, and existing rules may be general, vague, or contain gaps.

However, some CE activities could violate specific rules in international agreements. Relevant treaties include:

- The United Nations Framework Convention on Climate Change (UNFCCC), which aims at the stabilisation of GHG concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system. SRM techniques, which do not alter GHG emissions, are neither currently covered nor necessarily prohibited. CDR methods may be implicitly covered by some articles. There have so far been no negotiations on CE within the UNFCCC.
- The Environmental Modification Convention (ENMOD), which outlaws the military or other hostile use of environmental modification techniques with widespread, long-lasting or severe effects. The treaty does not apply to activities carried out for peaceful purposes and its provisions have never been invoked in practice.
- The Convention on Biological Diversity (CBD), which addresses the conservation and sustainable use of biodiversity. The conference of parties of the CBD first discussed CE in 2008, and in 2010 adopted the only general measure to address all forms of CE taken to date. Although non-binding, CBD Decision X/33 establishes general criteria for CE governance and prohibits all CE activities except for scientific research that meets specified criteria.
- The London Convention and London Protocol (LC/LP), which govern the dumping of wastes and other matter at sea. In October 2013, parties will debate an amendment to the LP to create a legally binding regulation that would only allow ocean fertilisation which is legitimate scientific research and that has been subjected to an environmental impact assessment (EIA).

Some rules of customary international law also have relevance to CE activities, including the duty of states to ensure that activities within their jurisdiction or control respect the environment of other states or of areas beyond national jurisdiction.

SUMMARY

- CE is not capable of returning the climate to its pre-industrial state, or even of keeping it at its current state.
- No CE technique can be considered a solitary substitute for mitigation or adaptation.
- Individual CE techniques are expected to have different costs, feasibilities, risks and timelines on which they operate, and will involve different actor constellations.
- Any CE technique will have unequally distributed societal impacts.

- Scientific research, public and policy engagement, and governance frameworks are growing, but field-tests of certain methods remain controversial, and the debate is still based largely in the global North.
- Many researchers are calling for a timely and global debate to explore which CE techniques – if any – might be capable of reducing risks from climate change.
- Many CE techniques are not strictly prohibited by international law, but there are treaties and strong principles urging caution with regard to research, development and deployment.

Sustainable Interactions with the Atmosphere

The cluster Sustainable Interactions with the Atmosphere (SIWA), led by PD Dr Mark Lawrence, enquires into how humans, as the driving force of the Anthropocene, are modifying the composition of the atmosphere, how this in turn impacts humanity, and how this interaction can be made more sustainable. SIWA examines how unintended human perturbations to the atmosphere can be mitigated, particularly through rapid reductions of short-lived climate-forcing pollutants (SLCPs), and also addresses a major possible transition facing us: from unintentionally perturbing the global atmosphere, to large-scale intentional intervention in the climate system (climate engineering).



Institute for Advanced Sustainability Studies Potsdam (IASS) e.V.

Founded in 2009, the IASS is an international, interdisciplinary hybrid between a research institute and a think tank, located in Potsdam, Germany. The publicly funded institute promotes research and dialogue between science, politics and society on developing pathways to global sustainability. The IASS focuses on topics such as sustainability governance and economics, new technologies for energy production and resource utilisation, and earth system challenges like climate change, air pollution and soil management.

Author contact details:

Sean Low (Fellow): sean.low@iass-potsdam.de Stefan Schäfer (Academic Officer): stefan.schaefer@iass-potsdam.de Achim Maas (Cluster Coordinator): achim.maas@iass-potsdam.de

Editorial:

Corina Weber & Sabine Sämisch

Address:

Berliner Strasse 130, 14467 Potsdam, Germany Phone: 0049 331-28822-340 Mail: media@iass-potsdam.de www.iass-potsdam.de

DOI: 10.2312/iass.2013.002





Print | ID: 10884-1308-1001







